

EASY LIQUIDS SULSA 27

PRODUCT GUIDE



OVERVIEW

EASY Liquids SULSA 27 is a liquid nitrogen and sulphur fertiliser that is suited for use in broad-acre and horticultural crops. SULSA 27 supplies nitrogen as ammonium and urea with sulphate sulphur. The ratio of nitrogen to sulphur suits crops with higher sulphur requirements such as canola. EASY Liquids are manufactured at our regionally located plants with the highest quality standards.

ANALYSIS

N		P		K		S		Ca		Mg		B		Cu		Fe		Mn		Mo		Zn		SG
Total N	Nitrate	Ammonium	Urea	Phosphorus	Potassium	Sulphur	Calcium	Magnesium	Boron	Copper	Iron	Manganese	Molybdenum	Zinc										
26.7		6.0	20.7			6.8																		1.25

All nutrient content is shown in w/v.

USAGE RECOMMENDATIONS

PREPLANT

Spray directly on the soil surface. Incorporation by cultivation or irrigation/rainfall is recommended to reduce the risk of volatilisation. SULSA can be used as a carrier for Glyphosate, applied as a pre-plant knockdown. Check with Easy Liquids Agronomists for AgChem product compatibilities.

- Carrier for Fallow herbicides: 80-100 L/ha (refer to total volume state of herbicide label).

PLANTING

Can be applied between the rows, or in front or behind non-seeding tines to achieve soil incorporation. Care should be taken to avoid direct contact with the seed at rates listed below.

- Canola: 100-200 L/ha.
- Winter cereals: 100-200 L/ha.

FERTIGATION

Can be applied to crops with irrigation water. Ideally suited to furrow, overhead and drip irrigation systems.

TOPDRESS USING FLAT FAN NOZZLES

- Canola: apply rates of up to 100 L/ha from 4 leaf to prior to 20% flowering (Growth Stage 4.2). Select an application rate to match the canopy size, for small canopies and young plants use lower rates. After 80% flowering (Growth Stage 4.8), DO NOT exceed 30 L/ha.
- Winter cereals: apply rates of up to 75 L/ha from 3 leaf to prior to flag leaf emergence (up to Growth Stage Z37). Select an application rate to match the canopy size, for small canopy / young plants use lower rates. After the flag leaf has emerged (Growth Stage Z37 onwards), DO NOT exceed 30 L/ha.

TOPDRESS USING STREAMING NOZZLE

(Large droplets)

- Canola: apply at rates up to 250 L/ha from the 5 leaf stage (Growth Stage 1.55) to the start of flowering (Growth Stage 4.0). DO NOT apply while the crop is flowering.
- Winter cereals: apply at rates up to 250 L/ha from the 5 leaf stage (Growth Stage Z15) to the start of flowering (Growth Stage Z61). DO NOT apply while the crop is flowering.

For detailed fertiliser recommendations for your crops please contact your local EASY Liquids sales agronomist.

QUALITY LIQUID NUTRIENTS, MADE EASY



EASY Liquids

To find out how EASY Liquids
could be easier for you and
your farm, talk to us today:

Moree 02 6752 7509
Boundary Bend 02 6752 7509
Whitton 02 6955 2565
au.sales@incitecpivot.com.au



Disclaimer: whilst these recommendations are typically right for most cropping situations, this is intended as a helpful guide. You should consult with your agronomist or crop nutrition expert to ensure you have the right product and application rate for your crop. Farming situations and nutrition requirements of crops vary.